

A predictor based method for signal detection in time series case study: financial markets of Iran in COVID-19 outbreak

Amir Hossein Ghatari^{†*}, Seyed Reza Seyed Ali Mortezaei[‡], Mina Aminghafari[§]

[†]Department of Statistics, Amirkabir University of Technology, Tehran, Iran

[‡]Department of Statistics, Shahid Beheshti University, Tehran, Iran

[§]Department of Mathematics and Statistics, University of Calgary, Calgary, Canada

Email(s): *a.h.ghatari@aut.ac.ir; rezamortezaei90@yahoo.com, mina.aminghafari@ucalgary.ca*

Abstract. In this paper, we propose a signal detection method in time series data within the context of the financial markets. By analyzing historical data from the related markets, such as foreign exchange rates and cryptocurrency prices, we aim to identify significant signals affecting the cash price of refined Gold in the Iranian market. Our approach leverages various time series models, including autoregressive integrated moving average, seasonal autoregressive integrated moving average, and neural networks, and also regression-based time series methods to predict fluctuations in Gold prices. We focus on a working days period before and after the onset of the COVID-19 outbreak in Iran on February 23, 2020. To achieve this, we propose a predictor-based algorithm for signal detection that utilizes both traditional time series and regression models. This algorithm identifies auxiliary markets that correlate with the target market, fits appropriate models to predict future values, and then determines cloud confidence intervals around these predictions. Observations that deviate significantly from these intervals are flagged as potential signals, suggesting unexpected changes or trends in the target market. Our method not only enhances the ability to detect significant signals in financial markets but also provides a valuable tool for investors and analysts to anticipate and respond to market fluctuations, particularly during periods of economic instability, ultimately contributing to more informed decision-making and risk mitigation strategies.

Keywords: Cloud interval, signal detection, time series data.

AMS Subject Classification 2010: 62M10, 91B84.

1 Introduction

In the context of financial modeling, analyzing and predicting fluctuations in financial markets have always been of great interest to investors, professionals, and market participants. Fluctuations in financial

*Corresponding author

Received: 18 February 2025/ Revised: 01 August 2025/ Accepted: 15 September 2025

DOI: [10.22124/jmm.2025.29826.2666](https://doi.org/10.22124/jmm.2025.29826.2666)

markets, including currencies, Gold, stocks, and even cryptocurrencies, are not only indicators of economic health but can also signal potential opportunities or threats in the future. Accurately predicting these fluctuations can reduce risks for market agents and brokers, helping them make better decisions. This importance has led to the identification and analysis of patterns and signals in time series data becoming one of the essential tools in financial decision-making [12].

Statistical and machine learning models, particularly time series models, play a significant role in analyzing complex patterns and predicting financial market fluctuations. One of the main challenges in this field is identifying important signals within time series data. A signal is defined as a sudden or unexpected change in data that could indicate a new trend or serve as a warning for the future [19]. In this concept, time series models such as autoregressive integrated moving average (ARIMA) and seasonal autoregressive integrated moving average (SARIMA), as well as neural networks, have become common tools for market analysis due to their forecasting capabilities and ability to learn complex patterns [6].

Various financial markets in each country, such as the refined Gold price, currency, and stock markets, can be influenced by different variables, including domestic and global economic indicators. For instance, changes in the dollar exchange rate, the Tehran Stock Exchange index, as well as global prices of Bitcoin and Gold, directly or indirectly impact the price of Gold in Iran. Numerous studies have explored the relationship between these market fluctuations and their interdependencies [15].

To implement the proposed algorithm in this paper, we utilize various time series models, including ARIMA, SARIMA, and neural networks. These models, by leveraging historical data, can identify hidden patterns and latent signals, which may lead to better decision-making in the Gold market. Alongside these models, time series regression is used to analyze and explain the complex dependencies between variables, see [1] and [16]. Latent signals are the main target of the paper. From now on, when we use signal, it means latent signal.

Previous studies have shown that analyzing fluctuations and relationships between financial variables can lead to a deeper understanding of market behavior and enable more optimal decisions. The authors in [3] presented machine learning techniques for time series regressions, emphasizing their application in nowcasting, which is particularly useful for real-time economic analysis. They demonstrated how machine learning models could improve the accuracy of short-term predictions by efficiently capturing non-linear dependencies in the data. The detection of outliers in time series data remains a critical task, especially in the presence of anomalies that may signify unusual events or errors in data collection. A comprehensive review of anomaly detection methods is provided in [4], it highlighted various techniques ranging from statistical methods to machine learning algorithms, and emphasized their respective strengths and weaknesses. Similarly, [8] offered an earlier survey focusing on outlier detection for temporal data, detailing the evolution of techniques and the challenges associated with handling temporal structures, such as seasonality and trends.

In the context of financial time series, the relationship between external factors and market volatility has been extensively studied. In [9] the influence of partisan conflict on U.S. stock market volatility using a quantile-on-quantile regression model is investigated. Their findings suggested that political uncertainty could be a predictor of changes in market volatility, providing insights into the integration of external socio-political factors in financial models. Another emerging field within time series analysis is the use of graph neural networks (GNNs) for tasks such as forecasting, classification, and anomaly detection. [13] surveyed the application of GNNs to time series data, emphasizing the advantages of leveraging graph structures to capture complex relationships between time series features. This approach has shown promise in improving predictive performance, especially when the data exhibits strong inter-

dependencies.

Recent studies have advanced anomaly detection in financial time series using modern machine learning techniques. In [7], a new method using neural networks to predict non-stationary time series is provided. In [5], principal component analysis and feedforward neural networks are combined for detecting anomalies in real-world financial data, achieving robust and stable performance. More recently, [20] proposed WaveLST-Trans—a hybrid model integrating wavelet transform, long short-term memory (LSTM), and Transformer—to detect early warning signals in both cryptocurrency and stock market datasets, outperforming several baseline methods. In addition, a comprehensive survey by [23] highlights the growing role of deep learning architectures in financial anomaly detection, emphasizing their effectiveness in capturing nonlinear and time-varying patterns.

In this paper, we aim to develop and implement an algorithm for signal detection within time series data, specifically focusing on identifying significant signals affecting the cash price of refined Gold (hereafter referred to as the refined Gold price) in the Iranian market. By integrating various time series models, including SARIMA, ARIMA, and neural networks, alongside regression-based time series models, we seek to analyze and predict fluctuations in Gold prices. Our analysis considers key auxiliary variables such as the USD/IR exchange rate, the Tehran Stock Exchange index, and Bitcoin prices, to capture complex interactions and dependencies. The study focuses on a 45 working-day period before and after the onset of the COVID-19 outbreak in Iran on February 23, 2020. By applying our proposed algorithm to this case study, we aim to detect important signals in the refined Gold price market during periods of market instability, helping to better understand the impact of external shocks and identify patterns that can aid in future market predictions.

2 Basic concepts

As mentioned in Section 1, we aim to detect signals in a target variable and based on the prediction method, we may use some features in the model structure. In this section, we recall the fundamental concepts for the study including time series, ARIMA models, neural network time series and time series regression models.

2.1 Time series

A time series is considered as the values of a random variable X_t , observed or to be observed at different times. Formally, a time series is defined as a sequence of random variables, $\{X_t, t \in T\}$, where T is a set of indices. In this context, T can be any subset of real numbers, but we assume it is a set of natural numbers. We also assume that the time series $\{X_t\}$ has finite first and second moments:

$$\begin{aligned} \mu_X(t) &= E(X_t), & t \in T, \\ \sigma_X^2(t) &= \text{Var}(X_t) = E[(X_t - \mu_X(t))^2], & t \in T, \\ C_X(t, s) &= E[(X_t - \mu_X(t))(X_s - \mu_X(s))], & t, s \in T, \\ R_X(t, s) &= \frac{C_X(t, s)}{\sigma_X(t)\sigma_X(s)}, & t, s \in T, \end{aligned}$$

where the mean function, variance function, auto-covariance function (ACVF), and autocorrelation function (ACF) describe the time series $\{X_t\}$. There are other elements which can make more description

about time series. For a more comprehensive explanation, we refer to [22].

2.2 ARIMA model

The ARIMA (AutoRegressive Integrated Moving Average) model is a popular statistical method used for analyzing and forecasting time series data. It combines three key components: autoregression (AR), differencing (I), and moving average (MA). Below, we provide the mathematical formulation of the ARIMA model. An ARIMA model is defined by three parameters: (p, d, q) :

- p : Order of the AR part. This refers to the number of lagged values of the series included in the model.
- d : Degree of differencing. This is the number of times the data is differenced to achieve stationarity.
- q : Order of the MA part. This indicates the number of lagged forecast errors included in the model.

The general form of the ARIMA model can be expressed as:

$$\phi(B)(1 - B)^d y_t = \theta(B)\varepsilon_t,$$

where

- y_t : The observed time series value at time t .
- $\phi(B) = 1 - \phi_1 B - \phi_2 B^2 - \dots - \phi_p B^p$ is the AR polynomial of order p .
- $\theta(B) = 1 + \theta_1 B + \theta_2 B^2 + \dots + \theta_q B^q$ is the MA polynomial of order q .
- B is the backshift operator, defined by $By_t = y_{t-1}$.
- $(1 - B)^d$ represents the differencing operator, applied d times to make the series stationary.
- ε_t is white noise (random error term), with a mean of zero and constant variance.

The ARIMA model combines all these components to create a flexible approach for modeling time series data that can accommodate both trends and noise. The parameters p , d , and q control how the model fits the data. Note that for $d = 0$, we have autoRegressive-moving average (ARMA) model which is a stationary time series model. For more information, see [22] and [17].

2.3 SARIMA models

The SARIMA model is an extension of the ARIMA model that supports the modeling of seasonality in time series data. The SARIMA model is defined by seven parameters: $(p, d, q) \times (P, D, Q)_s$, where:

- (p, d, q) : Parameters for the non-seasonal part (as defined in the ARIMA model).
- (P, D, Q) : Parameters for the seasonal part.
 - P : Order of the seasonal autoregressive part.

- D : Degree of seasonal differencing.
- Q : Order of the seasonal moving average part.
- s : Length of the seasonal cycle (e.g., $s = 12$ for monthly data with yearly seasonality).

The general equation for the SARIMA model is:

$$\phi(B)\Phi(B^s)(1-B)^d(1-B^s)^Dy_t = \theta(B)\Theta(B^s)\varepsilon_t,$$

where

- $\phi(B)$ and $\theta(B)$ are the non-seasonal AR and MA polynomials.
- $\Phi(B^s) = 1 - \Phi_1 B^s - \Phi_2 B^{2s} - \dots - \Phi_P B^{Ps}$ is the seasonal AR polynomial.
- $\Theta(B^s) = 1 + \Theta_1 B^s + \Theta_2 B^{2s} + \dots + \Theta_Q B^{Qs}$ is the seasonal MA polynomial.
- $(1 - B^s)^D$ applies seasonal differencing D times.

Different parts of SARIMA models:

- Non-seasonal part: Handles the general trend and patterns in the data.
- Seasonal part: Models the repeating seasonal patterns over time.
- Seasonal differencing $(1 - B^s)$: Removes the seasonality by differencing the data at lag s .

The SARIMA can capture both long-term trends (using non-seasonal components) and cyclical patterns that repeat at regular intervals (using seasonal components). For more information, see [22] and [17].

2.4 Time series regression

The simplest form of a linear regression model is as follows:

$$Y_t = \beta_0 + \beta_1 X_t + \varepsilon_t, \quad t = 1, \dots, n,$$

where Y is the response variable (the one we aim to predict), X is the explanatory variable (the one used for modeling), and ε_t is the noise in the model. If the noise follows a time series pattern, the response variable also becomes a time series, and the usual regression methods cannot be applied directly. The general form of a regression time series model is:

$$Y_t = \beta_0 + \beta_1 X_{1t} + \dots + \beta_K X_{Kt} + \varepsilon_t, \quad t = 1, \dots, n,$$

or equivalently,

$$Y_t = \beta' X_t + \varepsilon_t, \quad t = 1, \dots, n,$$

where $X_t = (X_{1t}, \dots, X_{Kt})'$ and $\beta = (\beta_0, \beta_1, \dots, \beta_K)'$. To convert a regular regression model into a time series regression model, we introduce lagged variables (e.g., past values of the market) based on statistical tests. The general procedure for fitting regression time series models involves:

- Identify the variables that show a linear correlation with the response variable using Pearson correlation tests.
- Fit a standard regression model as follows:

$$\hat{Y}_t = \hat{\beta}' X_t, \quad t = 1, \dots, n,$$

where \hat{Y}_t represents the predicted values of Y_t . Calculate the residuals of the model using:

$$e_t = Y_t - \hat{Y}_t, \quad t = 1, \dots, n.$$

The residuals e_t are considered as estimates of the noise ε_t .

- Examine the Autocorrelation Function (ACF) and Partial Autocorrelation Function (PACF) plots of the residuals to determine whether time series characteristics have influenced the model.
- If time series effects are present, identify potential structures for the time series model related to the residuals based on the ACF and PACF plots. Modify the regression model according to these structures and reevaluate it.
- If the model is not validated, consider other time series structures (e.g., stability assessment, variance stabilization, etc.).

For more information about time series regression models, we refer to [16] and [14] and [22].

2.5 Neural networks for time series forecasting

Neural networks have become a powerful tool for modeling and forecasting time series data, especially when dealing with non-linear and complex patterns. Unlike traditional statistical models (like ARIMA), neural networks can learn from data without making strong assumptions about the underlying patterns. Here, we provide a brief overview of how neural networks are applied to time series forecasting.

A neural network is a computational model inspired by the way biological neural networks in the brain process information. It consists of interconnected layers of nodes (neurons) that transform inputs to outputs through weighted connections. In the context of time series, the neural network learns patterns from historical data to predict future values.

2.5.1 Structure of a neural network

A typical neural network used for time series forecasting consists of:

- Input Layer: Receives input values (e.g., past observations of the time series).
- Hidden Layers: Consists of one or more layers where neurons process the input data using weights and activation functions to capture complex patterns.
- Output Layer: Produces the final forecast (e.g., the predicted value of the next time step).

The network is trained by adjusting the weights through backpropagation to minimize the error between predicted and actual values.

2.5.2 Common types of neural networks for time series

Feedforward neural network (FNN)

The FNNs are the simplest form of neural networks where data flows in one direction, from input to output. They can capture non-linear patterns but are limited in their ability to model temporal dependencies effectively. For details about application of FNN in time series problems, see [21].

Recurrent neural network (RNN)

RNNs are designed specifically for sequential data, where each neuron's output can loop back as input to itself [10]. This allows the network to retain information from previous time steps, making it suitable for time series forecasting:

$$h_t = f(W_h h_{t-1} + W_x x_t + b),$$

where

- h_t is the hidden state at time t .
- x_t is the input at time t .
- W_h and W_x are weight matrices, and b is a bias term.
- f is the activation function (e.g., tanh or ReLU).

Long short-term memory

The LSTM is a special type of RNN that overcomes the problem of long-term dependencies by introducing memory cells that can retain information for longer periods. The LSTMs are effective for time series data where the dependence on past values is complex. For more information about the performance of LSTM about prediction in time series problems refer to [18] and its references.

2.5.3 Training process in neural networks

The training of neural networks for time series involves:

- Loss Function: Measures the difference between predicted and actual values (e.g., Mean Squared Error).
- Backpropagation: Adjusts the weights to minimize the loss.
- Optimization Algorithms: Techniques like gradient descent or Adam to update weights efficiently.

Neural networks, especially advanced architectures like RNNs and LSTMs, are capable of capturing complex and non-linear patterns in time series data. They provide flexibility in modeling, but require careful tuning and sufficient data for effective forecasting. To obtain general information about the application of neural networks in time series data analysis, see [2], [11] and [24].

Remark 1. *In this paper, we use FNN from neural network methods to obtain prediction and apply our proposed algorithm, illustrated in the next section, to detect signals.*

3 Predictor based algorithm for signal detection in time series data

This section introduces an algorithm for detecting signals—unusual or unexpected events—in financial time series. The algorithm relies on *cloud confidence intervals* (CCI), which are pointwise prediction intervals constructed from different forecasting models. We apply several models, including ARIMA, SARIMA, regression time series, and FNN, to predict the target variable. Each model produces a sequence of forecasted values and associated uncertainty. Observations that fall outside their corresponding CCIs are flagged as potential signals. In what follows, we describe the structure and steps of the proposed algorithm.

3.1 Cloud confidence interval

In this subsection, we introduce the concept of the *cloud confidence interval* (CCI), a general and adaptive interval-based tool for detecting anomalies or unexpected events in time series data. Unlike conventional fixed-width confidence intervals that apply globally, the CCI evolves pointwise over time, forming a dynamic “cloud” that surrounds the predicted values. This cloud allows us to visually and statistically assess the deviation of observed values from model-based expectations.

Motivation and rationale

Traditional statistical inference often relies on confidence intervals to capture the uncertainty of predictions. In time series analysis, however, it is more informative to assess deviations locally, since the underlying process is inherently dynamic. The CCI framework leverages this idea: it constructs an individual interval for each time point based on the model’s prediction and uncertainty, thus capturing time-varying volatility and dynamics. The term “cloud” reflects the shape of these intervals when plotted across time—a band that expands or contracts depending on the estimated prediction variance.

Model-agnostic construction

Let \hat{Y}_t denote the predicted value of the target time series at time t , obtained from a forecasting model. This model may be:

- a classical time series model such as ARIMA or SARIMA,
- a regression time series model involving auxiliary variables,
- or a machine learning-based predictor such as an FNN.

As long as the model provides (or allows estimating) the variance of prediction at each time t , the CCI can be applied.

Mathematical Formulation

Given a fitted model and its point prediction \hat{Y}_t , the $(1 - \alpha)\%$ cloud confidence interval at time t is defined as:

$$\hat{Y}_t \pm t_{\alpha/2, v} \cdot \frac{\hat{\sigma}_t}{\sqrt{n}},$$

where

- \hat{Y}_t is the predicted value at time t ,
- $\hat{\sigma}_t$ is the estimated standard deviation of the forecast at time t (derived from the model or residual analysis),
- n is the effective sample size or number of parameters involved in variance estimation,
- $t_{\alpha/2, v}$ is the $\alpha/2$ critical value from the t -distribution with v degrees of freedom.
- v is calculated based on the number of the parameters in the models.

In some settings (e.g., neural networks or complex nonparametric models), the variance may be approximated using empirical residuals or bootstrapping.

Application to signal detection

Once the CCI has been computed for all time points in the prediction window, we can use it to identify unusual events or “signals.” Specifically, for each observation Y_t , if it falls outside the corresponding confidence interval around \hat{Y}_t , we flag it as a potential signal:

$$\text{Signal if: } Y_t \notin \left[\hat{Y}_t \pm t_{\alpha/2} \cdot \frac{\hat{\sigma}_t}{\sqrt{n}} \right].$$

This decision rule can be interpreted as a localized hypothesis test, the null hypothesis being that the observed value is consistent with the model’s prediction. A signal occurs when this null is rejected with a given confidence level (e.g., 95%).

Advantages and generality

The CCI method provides the following benefits:

- Time-varying sensitivity: Intervals adapt to local variance and reflect changing uncertainty.
- Model independence: Can be applied to any prediction model that yields point estimates and variances.
- Flexibility for ensemble comparison: Enables unified treatment across different models (e.g., ARIMA, SARIMA, FNN, regression).

In this study, we compute CCIs for four models—ARIMA, SARIMA, time series regression, and FNNs. Observations outside these clouds are interpreted as candidate signals. Those points that are consistently detected across all models are considered consensus signals, offering a more robust indication of structural market shifts.

3.2 Approach expression

Based on the theoretical definition of a signal in statistics, it is essential to seek a rare occurrence that is not expected. In financial markets, it is necessary to determine whether a data point is truly a rare signal or merely a predictable market shock. The main objective of this paper plan is to provide a procedure for identifying signals in domestic markets based on performance and signals issued by related foreign markets. Detecting a signal in one market using other influential markets requires the use of regression time series models.

Suppose that there is a target market and K auxiliary markets associated with this target market in the study. The goal is to detect signals issued by the target market. There are two approaches available:

1. Modeling the target market using time series models.
2. Modeling the target market using a regression time series model based on existing auxiliary variables.

In both approaches, predictions of the target variable are computed, and signal detection is performed. The procedure is as follows:

1. Collect sufficient data from all markets involved in the research. The data should follow a regular steps in the time
2. Based on exploratory data analysis, select $d < K$ foreign markets that are statistically confirmed to have a linear correlation with the domestic market and are suitable for signal analysis and modeling.
3. Fit the model to the available data (NN, time series models or time series regression).
4. In the case of a regression time series model, examine the ACF and PACF plots of the residuals. If correlations are present, fit a suitable time series model (based on these plots) to the residuals and derive an adjusted regression model (regression time series).
5. Estimate the values for the target market.
6. By obtaining the distribution of estimated values, calculate the confidence interval cloud for each observation using the following equation:

$$\hat{Y}_t \in \{\hat{\mu}_{\hat{Y}_t} \pm t_{\alpha/2} \frac{\hat{\sigma}}{\sqrt{n}}\},$$

where $\hat{\mu}_{\hat{Y}_t}$ represents the mean of the estimated values \hat{Y}_t , $\hat{\sigma}$ is the variance, and $t_{\alpha/2}$ is the quantile of the t-distribution used to compute the confidence interval.

7. Any data point from the collected sample for the target market that falls outside the calculated confidence interval cloud is considered a potential signal.
8. If the identified data point is also confirmed based on the nature of the market and the theoretical definition of a signal, it is considered a chosen signal, indicating that the target market may undergo future changes. The d selected auxiliary markets should remain under further research scrutiny for predicting future market behavior.

Note that the collected data in the first step must be temporally regular, with predetermined intervals (e.g., daily, weekly, or monthly) to ensure consistency and reliability in time series analysis. For this study, daily data was selected to capture short-term market fluctuations effectively. Also, the above algorithm is not dependent on a specific time period. Additionally, if no specific signal is identified in the present period, the algorithm can be rerun with updated data in the near future, potentially identifying new related foreign markets that were not initially recognized. Moreover, the data utilized in this study consists of daily observations about 45 days before and after February 23, 2020, the official date marking the onset of the COVID-19 pandemic in Iran.

3.3 Algorithmic structure

In this subsection, we present the algorithm designed for signal detection within time series data, based on the descriptive explanations provided in subsection 3.2. Algorithm 1 outlines the step-by-step process and methodology to detecting signals within the data.

When a data point is identified as a potential signal by the algorithm, it undergoes expert evaluation to determine its significance. Confirmed signals are reported to planners and market analysts for actionable insights and strategic decision-making.

Remark 2. *For summarization, each time series model provides a prediction, whether through interpolation or extrapolation. An outlier can influence the model and may be incorporated into its predictions. However, signals are not always far from the main body of the data. They might have only a slight distance from other data points, but their position could result in being overlooked by the model's predictions, potentially falling outside the confidence interval. This is the core concept of the proposed algorithm, which aims to identify potential signals based on the model's ability to predict data. Essentially, signals are not accurately captured by the model's prediction values. In the numerical analysis, we validate these ideas using real datasets.*

Remark 3. *In summary, this study introduces a novel statistical concept called CCI, constructed directly from the predicted values \hat{Y}_t of time series models. This approach enables the formation of prediction bands without relying on standard assumptions of error distribution or model form, making it adaptable to both classical and machine learning-based forecasting frameworks. These intervals are integrated into a signal detection algorithm: if an observed value falls outside the constructed band (the “cloud”), it is considered a potential signal. Such candidates are then subject to expert evaluation, incorporating economic context and domain knowledge to assess their relevance and validity.*

3.4 Positioning within existing literature

While the concept of detecting signals via deviations from model predictions has been explored in previous works, this paper extends the methodology in three key directions:

- First, the introduction of the CCI provides a new framework for constructing adaptive prediction bands based solely on model outputs, without requiring external variance estimates or assumptions.
- Second, the proposed notion of *consensus signals*—those consistently detected across multiple models—offers a robustness criterion rarely addressed explicitly in prior literature. This helps reduce false positives and strengthens the reliability of detected signals.

Algorithm 1 Procedure for Signal Detection in Time Series Data

Input: Data from target market and K auxiliary markets
Output: Detected signals for the target market

Collect sufficient data from all markets involved in the research.

if using a regression time series model **then**

- 5: Select $d < K$ confirmed foreign markets having a linear correlation with the domestic market for signal modeling.
- end if**
- Fit the model to the available data.
- if** using a regression time series model **then**
- Examine the ACF and partial PACF plots of the residuals.
- 10: **if** correlations exists **then**
- Fit a suitable time series model to the residuals and derive an adjusted regression model.
- end if**
- end if**
- Estimate the values for the target market \hat{Y}_t .
- 15: Obtain the distribution of \hat{Y}_t and calculate the confidence interval cloud for each observation using:

$$\hat{Y}_t \pm t_{\alpha/2} \frac{\hat{\sigma}}{\sqrt{n}}.$$

Detect any data point from the target market that falls outside the confidence interval cloud as a potential signal.

if the identified data point is confirmed based on the nature of the market and the theoretical definition of a signal **then**

Mark it as a chosen signal.

end if

- 20: **Note:** The algorithm is not dependent on a specific time period. If no specific signal is identified, rerun the algorithm with updated data.

- Third, the algorithm will be applied to a critical real-world event, the emergence of COVID-19 in Iran, showing how the method identifies signals just before and during a period of market uncertainty in Section 4.

Together, these elements position our work not merely as an applied case study, but as a methodological contribution that extends and refines the theory and practice of signal detection in financial time series.

4 Numerical Analysis

In this paper, the target population of this study includes all discoverable data within the specified time period, and there is no need for sampling from the available data. Additionally, the data used in this research are obtained from sources that publish information related to capital markets and economic

Table 1: Full names and abbreviations of financial markets and variables used in the study

Symbol	Full Name	Description
GOLD.IR	Refined Gold Price (Iran)	Daily cash price of 18-karat Gold in Iran
USD.IRR	USD to Iranian Rial Exchange Rate	Official exchange rate published by CBI
TEH.S.E	Tehran Stock Exchange Index	Iran's main stock market index
BTC	Bitcoin Price (USD)	Daily closing price of Bitcoin in USD

indicators, which are legally authorized to operate online within the country. The two main sources of data for this research are the following websites:

- <https://www.tgju.org/>
- <https://www.bourseview.com/>

In this section, we first introduce the data and perform a preliminary exploratory data analysis (EDA) on it. Then, using the time series forecasting methods introduced in Section 2, we proceed to obtain \hat{y}_t for implementing the algorithm presented in Section 3 for signal detection. Before continue, the information about present markets in the study and their abbreviations are showed in Table 1.

4.1 Data description and EDA

The outbreak of the COVID-19 pandemic was a process that began with its media coverage in the fall of 2019 in China and, by the end of winter of the same year, had spread worldwide, affecting the entire globe. It is evident that such an outbreak impacts the global economy, making the months before and after the spread of COVID-19 significant for examining signals in economic markets. For this reason, we use the collected data related to this period as a model to implement the signal detection algorithm introduced.

Since the outbreak of COVID-19 did not have an exact date, and different countries recorded different dates, and because the primary geography of this research is Iran and its markets, we have chosen February 23, 2020, as the starting date. The reason for this selection is the official announcement by the Ministry of Health and the temporary closure of institutions and educational facilities in the country on this date.

Figure 1 shows the time series plots of the price of Gold in Iran, along with three other related markets: USD to IRR (Iranian Rial) exchange rate, the Tehran Stock Exchange index, and the Bitcoin price. As observed, all three domestic markets exhibit an upward trend and a somewhat seasonal pattern. Additionally, the Bitcoin price displays two distinct seasons and an overall upward trend, with a temporary drop around the global announcement of the COVID-19 pandemic.

To better identify the data trends, we use the Phillips-Perron test, which is specifically designed to examine stationarity in the presence of drift and trend.

Table 2 presents the results of the Dickey-Fuller test for the four financial markets discussed in this paper. Note that alternative hypothesis is stationary in this test. According to the results, no stationarity was observed in any of the cases. This observation provides a logical basis for using the SARIMA time series model to model the target variable, which is the refined Gold price.

An alternative approach, based on Figure 1 and the findings related to Table 2, is also presented. Instead of expressing the refined Gold price in IRR, we can calculate it in USD within the Iranian market




Figure 1: Time series plots of Gold price, USD to IRR exchange rate, Tehran Stock Exchange index, and Bitcoin price during the period starting from the outbreak of COVID-19 in Iran (February 23, 2020 onwards)


by dividing the daily refined Gold price by the USD to IRR exchange rate for that day. Figure 2 shows the time series plot of this new variable, i.e., the refined Gold price in USD in the Iranian market.

Based on the time series plot of this variable, and after performing a stationarity test, it can be concluded that there is no stationary ($p\text{-value}=0.71$), but we do not have any drift, hence an ARIMA model should be used for this variable to obtain forecast values. Here, after fitting the ARIMA model and calculating the forecasted values of the target variable, these values are multiplied by the USD to IRR exchange rate, thus providing a form of forecasted value for the refined Gold price, which is the main target variable in this study.

The next idea we intend to explore in the model fitting section is the use of regression relationships among the data and fitting a regression time series model. Such problems require auxiliary variables alongside the target variable. In this study, the USD to IRR exchange rate, the Tehran Stock Exchange

Table 2: Results of stationary test for time series data

Market	test statistics	p.value
GOLD.IR	2.14	0.99
USD.IRR	2.79	0.98
TEH.S.E	2.38	0.97
BTC	0.24	0.71

**Figure 2:** Time series plot of Gold price in the Iranian market (in USD) during the period starting from the outbreak of COVID-19 in Iran


index, and the Bitcoin price are considered auxiliary variables for the regression time series analysis.

Table 3 and Figure 3 illustrate the degree of correlation between the refined Gold price and other financial markets presented in this paper. Additionally, Table 4 shows the results of the correlation test between the three auxiliary variables and the target market. The null hypothesis of the test is the absence of correlation. As observed, Bitcoin does not have a statistically significant direct correlation with the target market. However, the decision to exclude it from the model depends on its significance in the fitted regression model. On the other hand, the two domestic markets—stocks and USD—exhibit a significant and strong correlation with the target market, which was not unexpected. Based on the findings from the correlation analysis, the regression time series model to be examined in the following subsection can be represented as:

$$\text{Gold.IR} \sim \beta_0 + \beta_1 \cdot \text{USD.IRR} + \beta_2 \cdot \text{TEH.S.E} + \beta_3 \cdot \text{BTC} + \varepsilon_t.$$

In addition, we also utilize NNs to forecast the target market, i.e., the refined Gold price. These four approaches are evaluated from the perspective of signal detection.

Remark 4. *Although Bitcoin had only a weak correlation with Gold prices in the initial analysis, we still kept it in the time series regression model for two main reasons. First, the correlation was statistically meaningful and added useful information that helped the model perform better during training. Second, Bitcoin is a major global financial asset, and it may influence domestic markets like Iran indirectly—especially during uncertain times like the COVID-19 period. Including it fits our general approach of using a wide range of economic signals, even when each one alone may not have a strong linear effect.*

Table 3: Correlation coefficients between the four markets in the study**Figure 3:** Heatmap of correlation between the four markets in the study. The shaded cells in the table represent the level of correlation: darker cells indicate weak correlation, while lighter cells denote strong correlation

4.2 Model fitting and signal detection

In subsection 4.1, we examined the data through exploratory data analysis (EDA) and discussed the rationale behind using different methods to forecast the target market, i.e., the refined Gold price in Iran. In this subsection, we proceed to calculate the values of \hat{Y}_t for the various methods and implement the signal detection algorithm for each.

Now, we proceed with fitting the models and calculating the values of \hat{Y}_t using the methods of FNN, the SARIMA model, and the time series regression model for the refined Gold prices, as well as the ARIMA model for refined Gold prices in USD. For the ARIMA model, after fitting, the predicted values are multiplied by the current exchange rate of USD to obtain the actual price.

For the FNN, the data related to the refined Gold prices along with the lags for the previous three days in the market are defined as inputs, and the number of hidden layers is set to 5. The selected SARIMA model, based on appropriate functions in R software, is considered as SARIMA(1,1,1) \times (1,1,1)₄. The ARIMA(0,1,2) model is fitted to the refined Gold prices in USD.

For the regression model, the residuals follow an autoregressive model of order one (based on the ‘auto.arima’ command in R software). Therefore, the modified model is fitted by applying a one-day lag to the data.

Before analyzing the models based on their cloud confidence intervals and signal detection capabilities, it is essential to evaluate their predictive accuracy. Table 5 compares the performance of the four fitted models using two widely-used error metrics: Root mean square error (RMSE) and mean absolute error (MAE). These metrics provide insight into the overall accuracy and average deviation of the predicted values from the actual Gold price series. This preliminary comparison allows us to assess how well each model captures the underlying dynamics of the data before using them for signal identification.

As shown in Table 5, FNN achieved the lowest RMSE, indicating superior overall prediction accuracy

Table 4: Results of correlation test between Gold price and other markets

Market	USD.IRR	TEH.S.E	BTC
P-value	0.00	0.00	0.21

Table 5: Prediction error metrics (RMSE and MAE) for the proposed models

Model	RMSE	MAE
SARIMA	6314.7	4804.9
ARIMA	10042.6	8629.1
TS Regression	8055.0	6596.5
FNN	5669.0	5508.1

compared to other models. While the SARIMA model also performed well, especially in terms of MAE, its RMSE was slightly higher than that of FNN. In contrast, the ARIMA model showed the highest prediction error on both metrics, suggesting limited effectiveness in capturing the complex patterns of the target series. The time series regression model performed moderately, outperforming ARIMA but falling behind FNN and SARIMA. These results support the choice of FNN as the neural network representative in the analysis, confirming its capability to detect patterns and fluctuations in nonlinear financial data.

The results for \hat{Y}_t obtained from the four methods mentioned above are presented in Figure 4. Figure 5 shows the time series curve and the charts of cloud confidence intervals obtained from FNN, SARIMA Model, ARIMA Model, and Time Series Regression. The red dots indicate data points that fall outside the cloud intervals and are potential signals, which should be analyzed further to understand their nature. The vertical dashed line marks February 23, 2020, the day when Iran's Ministry of Health, Treatment, and Medical Education officially announced the beginning of the COVID-19 pandemic in the country.

Based on the observations from Figure 5, it can be stated that all four methods detected certain data points as signals in mid-February. The SARIMA model detected the highest number of potential signals. This does not necessarily indicate the superiority of the method; rather, it can be seen as a less conservative approach. This is because a confidence interval is equivalent to a hypothesis test, and if a data point falls outside the interval, it effectively confirms the hypothesis of being a signal. This means SARIMA is less strict in identifying a data point as a signal.

However, an important point pertains to the other model, ARIMA. While all methods detected a local minimum before the official announcement of the COVID-19 pandemic as a signal, ARIMA did not. It appears that this method performed better in predicting this local minimum. All four methods under study detected at least seven data points as potential signals. One form of evidence that a detected point is indeed a signal is when it is identified as such by all methods. In such cases, it indicates that all time series modeling approaches agree that the data point deviates from the expected trend. In this study, three data points before the onset of the pandemic, in mid-February 2020, were identified by all four methods. Additionally, the data point related to May 20, 2020, was also commonly detected as a signal by all four methods.

Although other data points were detected around this date, only this one was consistently marked by all four methods. Thus, it can be concluded that the three data points detected in mid-February 2020, along with the single data point on May 20, 2020, can be considered as signals in this dataset (i.e., the refined Gold price in Iran). The focus has been on detecting signals. However, the question arises: can




Figure 4: Comparison of gold prices and the obtained predicted gold prices using FNN, SARIMA, ARIMA, and Time series regression models

each statistically confirmed signal also be considered an indicator of changes in that financial market? The answer to this question falls within the realm of future studies, but we briefly discuss the significance of the data identified as signals.

If we look at the trend of data following the three signals identified in February, it is understandable that the world was, at that time, engulfed in rumors and concerns related to the COVID-19 pandemic. In such a situation, and from a non-specialist perspective, these fluctuations are not surprising. This brings us to the concept of weak signals, as proposed by Ansoff in 1975—rare data points that deviate from the trend but may indicate significant changes in the future. As can be observed, the three identified signals are essentially relative maxima in the data for that period. However, after these three data points, the market experienced a brief fluctuation followed by a period of stagnation, during which even the official announcement of the COVID-19 pandemic did not lead to any significant change in the market. However, following this temporary stagnation, the Gold market (along with other financial indices) began a general upward trend, which continued for nearly six months. The same is true for the data point identified on May 20, 2020; however, since the scope of potential changes following this signal lies outside the domain of our research, we refrain from delving into it.

The most important application of such signals, which are essentially detected as outliers and can indicate future changes, is in the domain of market safety and for economic experts. These signals can help them stay alert to major shifts or even potential downturns, enabling them to manage financial markets and related factors with scientific evidence (information obtained from the signals) before substantial changes occur.




Figure 5: The Time series curve of Gold Price with cloud confidence intervals obtained from FNN, SARIMA model, ARIMA model, and time series regression, respectively. The red dots indicate data points that fall outside the cloud intervals and are potentially signals. The vertical dashed line marks February 23, 2020

5 Conclusion

This study presents a systematic approach to detecting signals in financial markets, focusing on identifying rare occurrences that deviate from typical trends. Utilizing a combination of neural networks,

SARIMA, ARIMA, and regression-based time series models, the algorithm was developed to process and analyze the refined Gold price data in Iran, particularly during the onset of the COVID-19 pandemic. Each model was employed to predict values and identify data points falling outside established confidence intervals, marking them as potential signals. The results indicate that all four methods were effective in identifying specific signals before significant market events. The use of SARIMA, ARIMA, and regression models provided varying degrees of sensitivity, with SARIMA showing a tendency to identify more signals due to its less conservative confidence intervals. On the other hand, the ARIMA model, which adjusted the refined Gold prices based on the USD exchange rate, demonstrated better performance in predicting specific market movements, particularly during the onset of the pandemic.

A key finding was the detection of three significant signals in mid-February 2020, coinciding with the early rumors and concerns about COVID-19. These were identified by all models, highlighting their potential as robust indicators of future market behavior. Similarly, a signal detected on May 20, 2020, was consistently marked across models, suggesting its reliability as a forecast of subsequent market trends. The analysis suggests that the identified signals could be early indicators of future shifts, supporting the notion of weak signals.

The methodology and algorithm developed in this study provide a structured and adaptable framework for detecting signals in financial markets. With the ability to incorporate regular updates with new data, the algorithm can refine its predictions and identify emerging trends, offering a dynamic tool for analyzing market behavior. This capability holds significant value for market analysts and economists, enabling them to manage financial markets proactively through data-driven insights. Future research could expand on these findings by exploring the relationship between identified signals and subsequent market behavior, using time series regression with neural networks, and further validate the practical utility of the algorithm in simulation and real-world datasets.

Acknowledgements

The authors would like to express their gratitude for the opportunity provided by the journal and sincerely thank the editor and reviewers in advance for their time and valuable feedback.

Conflicts of interest

The authors declare that there are no conflicts of interest.

References

- [1] S. Aliahmadi, M. Ahmadlou, *Forecast the Gold coin future contracts prices by ARIMA models in Iran Mercantile Exchange (IME)*, Financial Knowledge of Securities Analysis **4** (2011) 61–74.
- [2] E.M. Azoff, *Neural Network Time Series Forecasting of Financial Markets*, John Wiley & Sons, 1994.
- [3] A. Babii, E. Ghysels, J. Striaukas, *Machine learning time series regressions with an application to nowcasting*, J. Bus. Econ. Stat. **40** (2022) 1094–1106.

- [4] A. Blazquez-Garcia, A. Conde, U. Mori, J.A. Lozano, *A review on outlier/anomaly detection in time series data*, ACM Comput. Surv. **54** (2021) 56.
- [5] S. Crepey, N. Lehdili, N. Madhar, M. Thomas, *Anomaly detection in financial time series by principal component analysis and neural networks*, Algorithms **15** (2022) 385.
- [6] M. Dehghani, M. Mohammad, H. Ansari-Samani, *Machine learning algorithms for time series in financial markets*, J. Soft Comput. Inf. Technol. **8** (2019) 60–67.
- [7] M. Ghanbarzadeh, M. Aminghafari, *A novel wavelet artificial neural networks method to predict non-stationary time series*, Commun. Stat. - Theor. Meth. **49** (2020) 864–878.
- [8] M. Gupta, J. Gao, C.C. Aggarwal, J. Han, *Outlier detection for temporal data: A survey*, IEEE Trans. Knowl. Data Eng. **26** (2013) 2250–2267.
- [9] R. Gupta, C. Pierdzioch, R. Selmi, M.E. Wohar, *Does partisan conflict predict a reduction in US stock market (realized) volatility? Evidence from a quantile-on-quantile regression models*, N. Am. J. Econ. Finance **43** (2018) 87–96.
- [10] H. Hewamalage, C. Bergmeir, K. Bandara, *Recurrent neural networks for time series forecasting: Current status and future directions*, Int. J. Forecast. **37** (2021) 388–427.
- [11] T. Hill, M. O'Connor, W. Remus, *Neural network models for time series forecasts*, Manage Sci. **42** (1996) 1082–1092.
- [12] M. Holopainen, M. Toivonen, *Weak signals: Ansoff today*, Futures **44** (2012) 198–205.
- [13] M. Jin, H.Y. Koh, Q. Wen, D. Zambon, C. Alippi, G.I. Webb, I. King, S. Pan, *A survey on graph neural networks for time series: Forecasting, classification, imputation, and anomaly detection*, IEEE Trans. Pattern Anal. Mach. Intell. **2024** (2024) 12.
- [14] B. Kedem, K. Fokianos, *Regression Models for Time Series Analysis*, John Wiley & Sons, 2005.
- [15] A. Mohammadi, H. Pashootanizadeh, *Scenario planning the effect of foreign Gold price and exchange rate on financial market with using system dynamics approach*, Journal of Financial Management Perspective **7** (2017) 27–50.
- [16] C.W. Ostrom, *Time Series Analysis: Regression Techniques*, Sage, US, 1990.
- [17] R.H. Shumway, D.S. Stoffer, *Time Series Analysis and its Applications: With R Examples*, Springer, 2011.
- [18] X. Song, Y. Liu, L. Xue, J. Wang, J. Zhang, J. Wang, L. Jiang, Z. Cheng, *Time-series well performance prediction based on long short-term memory (LSTM) neural network model*, J. Pet. Sci. Eng. **186** (2020) 106682.
- [19] L. Su, L. Deng, W. Zhu, S. Zhao, *Statistical detection of weak pulse signal under chaotic noise based on Elman neural network*, Wirel. Commun. Mob. Comput. **2020** (2020) 9653586.

- [20] T. Su, R. Li, B. Liu, X. Liang, X. Yang, Y. Zhou, *Anomaly detection and risk early warning system for financial time series based on the WaveLST-Trans model*, ICCK Trans. Emerg. Top. Comput. Artif. Intell. **2** (2025) 68–80.
- [21] Z. Tang, P.A. Fishwick, *Feedforward neural nets as models for time series forecasting*, ORSA J. Comput. **5** (1993) 374–385.
- [22] R.S. Tsay, *Analysis of Financial Time Series*, John Wiley & Sons, 2010.
- [23] Z. Zamanzadeh Darban, G.I. Webb, S. Pan, C. Aggarwal, M. Salehi, *Deep learning for time series anomaly detection: A survey*, ACM Comput. Surv. **57** (2024) 15.
- [24] G.P. Zhang, M. Qi, *Neural network forecasting for seasonal and trend time series*, Eur. J. Oper. Res. **160** (2005) 501–514.